

## TABLE DES MATIÈRES

NOTE DE SYNTHÈSE ET PORTÉE DU RAPPORT .....	61
<b>PARTIE I. PRÉSENTATION GÉNÉRALE .....</b>	<b>69</b>
1. INTRODUCTION.....	71
1.1 Activités de l'Agence de l'OCDE pour l'énergie nucléaire .....	71
1.2 Pourquoi la séparation et la transmutation ? .....	72
1.3 Pourquoi une étude systémique de la séparation et de la transmutation ?.....	73
1.4 Groupe d'experts .....	73
1.5 Objectifs du rapport.....	74
2. ÉTAT ACTUEL ET PERSPECTIVES DES TECHNOLOGIES DE SÉPARATION ET DE TRANSMUTATION .....	75
2.1 Stratégies.....	75
2.1.1 Plutonium et uranium.....	75
2.1.2 Actinides mineurs.....	77
2.1.3 Produits de fission.....	78
2.2 Retraitements .....	79
2.2.1 Plutonium et uranium.....	79
2.2.2 Actinides mineurs.....	80
2.2.3 Produits de fission.....	81
2.3 Technologie de fabrication des combustibles et des cibles .....	82
2.3.1 Plutonium et uranium.....	82
2.3.2 Actinides mineurs.....	83
2.3.3 Choix des cibles pour les produits de fission .....	83
3. DESCRIPTION DES CYCLES DU COMBUSTIBLE .....	85
3.1 Les cycles du combustible nucléaire .....	85
3.1.1 Le cycle ouvert .....	86
3.1.2 Le cycle avec retraitement .....	86
3.1.3 Cycle du combustible avancé avec recyclage des transuraniens et de quelques produits de fission.....	86
3.1.4 Stratégie à double strate .....	86

## TABLE OF CONTENTS

EXECUTIVE SUMMARY AND SCOPE OF THE REPORT.....	17
<b>PART I. GENERAL OVERVIEW.....</b>	<b>25</b>
1. INTRODUCTION.....	27
1.1 Involvement of OECD/NEA.....	27
1.2 Why P&T? .....	28
1.3 Why a P&T systems study? .....	28
1.4 Expert group .....	29
1.5 Objectives of the report.....	29
2. STATUS AND EXPECTATION OF P&T TECHNOLOGY.....	31
2.1 Strategies.....	32
2.1.1 Plutonium and uranium .....	32
2.1.2 Minor actinides .....	33
2.1.3 Fission products.....	34
2.2 Reprocessing .....	34
2.2.1 Plutonium and uranium .....	34
2.2.2 Minor actinides .....	35
2.2.3 Fission products.....	36
2.3 Fuel and target technology .....	37
2.3.1 Plutonium and uranium .....	37
2.3.2 Minor actinides .....	37
2.3.3 Target selection for fission products .....	38
3. DESCRIPTION OF THE FUEL CYCLES.....	39
3.1 The nuclear fuel cycles.....	39
3.1.1 Once-Through Fuel Cycle (OTC) .....	40
3.1.2 Reprocessing Fuel Cycle (RFC) .....	40
3.1.3 Advanced Fuel Cycle with TRU and selected FP recycling (AFC).....	40
3.1.4 Double strata fuel cycle.....	40

3.2	Aperçu des cycles du combustible et questions annexes .....	89
3.2.1	Cycle ouvert .....	89
3.2.2	Cycle du combustible avec retraitement et recyclage de l'uranium et du plutonium.....	90
3.2.3	Cycle du combustible avancé avec recyclage des transuraniens .....	92
3.2.3.1	Impact du retraitement du combustible REO-UO <sub>2</sub> .....	93
3.2.3.2	Séparation des actinides mineurs des déchets liquides de haute activité provenant du combustible usé de REO .....	93
3.2.3.3	Fabrication des cibles d'actinides mineurs pour recyclage hétérogène dans des REO .....	94
3.2.3.4	Séparation des produits de fission et d'activation à vie longue .....	95
3.2.3.5	Recyclage quantitatif de l'uranium et du plutonium dans le combustible REO-MOX .....	96
3.2.3.6	Retraitement du REO-MOX .....	96
3.2.3.7	Fabrication de RNR-MOX à faible teneur en actinides mineurs.....	97
3.2.3.8	Fabrication de combustibles métalliques pour les ALMR et des combustibles avancés pour les réacteurs incinérateurs .....	98
3.2.3.9	Réacteurs incinérateurs rapides.....	98
3.2.3.10	Retraitement du combustible usé de RNR .....	99
3.2.3.11	Transmutation des produits de fission à vie longue.....	100
3.2.3.12	Rôle de la séparation-transmutation dans les cycles du combustible avancé .....	101
4.	ANALYSE CRITIQUE .....	103
5.	CONCLUSIONS GÉNÉRALES .....	107
	RÉFÉRENCES.....	109

*Liste des figures*

Figure I.1	Schéma de principe du cycle avec retraitement du combustible des réacteurs à eau ordinaire .....	76
Figure I.2	Représentation schématique de l'aval d'un cycle du combustible avancé avec recyclage des actinides mineurs.....	76
Figure I.3	Schéma du cycle du combustible avec retraitement pour un parc de REO de 400 TWh (Étude de cas française).....	87
Figure I.4	Flux de matières dans un parc électronucléaire mixte de 700 TWh composé de REP et de RNR (Étude de cas japonaise).....	88
Figure I.5	Flux de matières théorique pour un parc de RNR de 700 TWh (Étude de cas japonaise).....	89

La partie II existe exclusivement en version anglaise.

3.2	Overview of the fuel cycles and associated issues .....	43
3.2.1	Once Through Cycle (OTC) .....	43
3.2.2	Reprocessing fuel cycle with U and Pu recycling (RFC).....	44
3.2.3	Advanced fuel cycle with TRU recycling (AFC) .....	45
3.2.3.1	Impact of reprocessing of LWR-UO <sub>2</sub> fuel .....	46
3.2.3.2	Separation of MAs from HLLW resulting from spent LWR fuel .....	46
3.2.3.3	Fabrication of MA targets for heterogeneous irradiation in LWRs.....	47
3.2.3.4	Separation of long-lived fission and activation products .....	47
3.2.3.5	Quantitative recycling of U and Pu into LWR-MOX fuel .....	49
3.2.3.6	Reprocessing of LWR-MOX .....	49
3.2.3.7	FR-MOX fuel fabrication with limited MA content.....	49
3.2.3.8	Metal fuel fabrication for ALMRs and advanced fuels for burners reactors.....	50
3.2.3.9	Fast burner reactors (FBuR).....	50
3.2.3.10	FR-spent fuel reprocessing .....	51
3.2.3.11	Transmutation issues of long-lived fission products.....	52
3.2.3.12	Conclusions on the role of P&T in the AFC option.....	53
4.	CRITICAL EVALUATION .....	55
5.	GENERAL CONCLUSIONS.....	57
<b>REFERENCES.....</b>		<b>59</b>

*List of figures*

Figure I.1	A schematic diagram of the reprocessing fuel cycle for LWRs .....	31
Figure I.2	A schematic diagram of back-end of an advanced fuel cycle with minor actinide recycling.....	32
Figure I.3	A schematic diagram of the reprocessing fuel cycle for a 400 TWh LWR park (French case study) .....	40
Figure I.4	A materials flowsheet for a 700 TWh mixed PWR-FR nuclear electricity grid (Japanese case study).....	41
Figure I.5	A notional materials flowsheet for a 700 TWh FR park (Japanese case study).....	42

<b>PART II. TECHNICAL ANALYSIS AND SYSTEMS STUDY.....</b>	<b>111</b>
1. PARTITIONING .....	113
1.1 Aqueous separation techniques.....	113
1.1.1 PUREX process.....	113
1.1.1.1 Minor actinides .....	114
1.1.1.2 Long-lived fission products.....	114
1.1.1.3 Long-lived activation products.....	116
1.1.1.4 Conclusions .....	116
1.1.2 Improved separation of long-lived elements in PUREX process .....	117
1.1.2.1 Neptunium.....	117
1.1.2.2 Technetium .....	117
1.1.2.3 Iodine.....	118
1.1.2.4 Carbon.....	118
1.1.3 Separation of minor actinides .....	118
1.1.3.1 Neptunium separation .....	118
1.1.3.2 Actinide/lanthanide separation .....	119
1.1.3.3 Americium/curium separation.....	127
1.1.4 Separation of long-lived fission products .....	128
1.1.4.1 Separation of strontium and caesium .....	128
1.1.4.2 Separation of caesium .....	129
1.1.4.3 Separation of strontium .....	129
1.1.4.4 Separation of technetium and platinum group metals.....	130
1.1.5 Conclusions .....	130
1.2 Non-aqueous methods .....	131
1.2.1 Pyrochemical reprocessing of oxide fuels for oxide fuel cycle.....	131
1.2.2 Actinides recycling in a combined FBR and LWR cycles by pyrochemical process .....	132
1.2.2.1 Pyrochemical reprocessing of metal and oxide fuels .....	135
1.2.2.2 Pyrochemical separation of transuranic elements from high-level liquid waste.....	136
1.2.3 Condensed actinide-burner cycle: double-strata concept .....	137
1.2.4 Conclusion.....	138
2. TRANSMUTATION .....	139
2.1 Introduction .....	139
2.2 Target and fuel fabrication technology.....	141
2.2.1 Fuels for homogeneous recycling .....	141
2.2.1.1 Fabrication of fuel including neptunium.....	141
2.2.1.2 Fabrication of MOX fuel containing americium for LWR .....	141
2.2.1.3 Fabrication of MOX fuel containing MAs for fast reactor .....	142
2.2.1.4 Fabrication and irradiation of metal alloy fuel including MAs .....	143
2.2.1.5 Fabrication of nitride fuel including MAs.....	144

2.2.2	Targets for heterogeneous recycling.....	145
2.2.2.1	Fabrication of AmO <sub>2</sub> target pins .....	145
2.2.2.2	Effect of curium on target fabrication .....	146
2.2.2.3	Fabrication of targets for transmutation of fission products.....	146
2.3	Transmutation of minor actinides .....	147
2.3.1	Physics and methods of transmutation .....	147
2.3.1.1	Physics .....	147
2.3.1.2	Methods.....	149
2.3.2	Transmutation of minor actinides in thermal reactors .....	150
2.3.2.1	Present day PWR reactor .....	150
2.3.2.2	Molten salt reactor .....	154
2.3.3	Transmutation of minor actinides in fast reactors.....	154
2.3.3.1	MOX-fuelled fast reactor .....	154
2.3.3.2	Minor actinides transmutation in metal-fuelled fast reactor.....	160
2.3.4	Transmutation of minor actinides and fission products in dedicated systems ....	162
2.3.4.1	Dedicated minor actinide burner reactor.....	163
2.3.4.2	Accelerator-driven transmutation systems .....	164
2.3.5	Nuclear data of minor actinides and long-lived fission products.....	171
2.3.6	Interaction between plutonium incineration and minor actinide production.....	173
2.3.6.1	Present day PWRs.....	173
2.3.6.2	Other alternatives .....	173
2.3.6.3	FRs without blanket (FBuR).....	174
2.4	Transmutation of long-lived fission products .....	175
2.4.1	Transmutation of fission products in fission reactors.....	175
2.4.1.1	Transmutation of <sup>99</sup> Tc and <sup>129</sup> I.....	175
2.4.1.2	Transmutation in fast reactors .....	176
2.4.1.3	Transmutation in light water reactors.....	177
2.4.1.4	Transmutation in heavy water reactors.....	177
2.4.1.5	Transmutation in thermal high flux reactors.....	177
2.4.1.6	Conclusions .....	178
2.4.2	Nuclear data on fission products.....	178
3.	DESCRIPTION OF CURRENT TRENDS IN P&T RESEARCH.....	179
3.1	Current R&D activities .....	179
3.1.1	OMEGA programme.....	179
3.1.2	SPIN programme .....	180
3.2	Summary of current strategy studies.....	182
3.2.1	European Union strategy study.....	182
3.2.1.1	Reference and P&T scenario .....	182
3.2.1.2	Potential radiotoxicity .....	183
3.2.2	Studies in Japan .....	183
3.2.2.1	MOX-fuelled FBR .....	184
3.2.2.2	Actinide burner reactor.....	185

4.	IMPACT OF P&T ON RISK ASSESSMENT AND WASTE MANAGEMENT.....	187
4.1	Introduction and definition of radiotoxicity and risk.....	187
4.1.1	Risks in the back-end of the fuel cycle .....	187
4.1.2	Exposure related risk.....	188
4.1.3	Radiotoxic inventory of radionuclides and irradiated fuel .....	189
4.1.4	Assessment of the radiological risk .....	190
4.1.5	Decision framework .....	190
4.1.6	Conclusion and recommendations .....	191
4.2	Radiotoxic inventory of waste .....	191
4.3	Possible impact of P&T on TRU reduction.....	195
4.3.1	Necessary facilities to implement P&T .....	195
4.3.1.1	Inventories of minor actinides to be processed in a AFC scenario .....	195
4.3.1.2	Recycling scenarios for power reactors .....	197
4.3.1.3	Results.....	200
4.3.1.4	Influence of non-recycling of curium.....	201
4.3.1.5	Separation performance objective .....	202
4.3.1.6	Conclusions .....	203
4.3.2	Impact of separated nuclides .....	205
4.4	Risk and hazard assessment over time .....	206
4.4.1	Pre-disposal waste management of RFC operations .....	206
4.4.2	Radiological impact of waste discharges .....	208
4.4.3	Impact of P&T operations on waste management of AFC .....	210
4.4.4	Global fuel cycle situation for waste management decisions .....	211
4.4.5	Evolution of long-term radiotoxic inventory .....	214
4.4.6	Role and impact of cut-off period .....	215
4.5	Waste management concepts .....	217
4.5.1	OTC concepts for direct disposal.....	217
4.5.1.1	The Spanish repository concept.....	217
4.5.1.2	The Swedish repository concept.....	220
4.5.1.3	Performance assessment of spent fuel disposal in clay .....	222
4.5.2	RFC concepts for disposal.....	223
4.5.2.1	Disposal in salt formations .....	223
4.5.2.2	Disposal in clay formations .....	225
4.5.3	AFC-specific waste management issues (targets, reactor cores).....	227
4.6	Criticality safety .....	229
5.	COMMENTARY ON EXISTING P&T SYSTEMS STUDIES.....	231
5.1	First generation systems study reports .....	231
5.2	Second generation reports .....	232
	REFERENCES .....	235

<i>Annex A</i>	List of expert group members.....	251
<i>Annex B</i>	OMEGA programme .....	253
<i>Annex C</i>	SPIN programme.....	273
<i>Annex D</i>	Bibliography on partitioning of minor actinides .....	285
<i>Annex E</i>	Spent fuel composition as a function of burn-up and cooling times.....	303
<i>Annex F</i>	Elements of cost .....	311
<i>Annex G</i>	List of abbreviations, units and glossary of terms .....	317

*List of figures*

Figure II.1	Behaviour of long-lived elements in PUREX Process.....	115
Figure II.2	TALSPEAK process.....	120
Figure II.3	DIDPA process.....	121
Figure II.4	TRUEX process .....	122
Figure II.5	TRPO process .....	124
Figure II.6	DIAMEX process .....	125
Figure II.7	Possible separation schemes related to SESAME process .....	128
Figure II.8	Schematic presentation of pyrochemical reprocessing for oxide fuel (RIAR) .....	133
Figure II.9	Fuel cycle of actinide burner reactor (DOVITA Fuel Cycle) .....	134
Figure II.10	Actinide recycling system based on a pyrochemical processing of HLW and FR metal-fuel FR-irradiation.....	135
Figure II.11	Flow sheet of pyro-reprocessing of spent fuel (ANL/CRIEPI).....	136
Figure II.12	Flow sheet of pyrochemical partitioning of TRUs from HLW (CRIEPI).....	137
Figure II.13	Actinide burner process with nitride/pyrochemical process.....	138
Figure II.14	MA-loading methods in fast reactor.....	155
Figure II.15	Concept of double stratum fuel cycle.....	163
Figure II.16	Concept of accelerator-based transmutation plant .....	165
Figure II.17	Radiotoxicity balances .....	184
Figure II.18	Effect of transmutation on reduction of minor actinide accumulation.....	186
Figure II.19	Radioactivity of PWR type spent fuel.....	194
Figure II.20	Radiotoxic inventory of UOX fuel as a function of time.....	194
Figure II.21	Potential radioactivity of actinides in the glasses from the standard reprocessing of PWR type spent fuel .....	196
Figure II.22	Potential radioactivity of main fission products in the glasses from the standard reprocessing of PWR type spent fuel .....	196
Figure II.23	Radiotoxic inventory of MOX fuel as a function of time .....	197
Figure II.24	Reactor park compositions .....	198
Figure II.25	Evolution of radiotoxicity in wastes.....	202
Figure II.26	Surface facilities. General layout .....	218
Figure II.27	Underground facilities. General layout .....	218
Figure II.28	Evolution of mean dose rates in the case of disposal of 40 GWd/tHM UOX spent fuel .....	219
Figure II.29	Swedish repository concept .....	221
Figure II.30	Overview of the canister.....	222

Figure II.31	Evolution of the expectation value of the dose rates in the case of disposal of 45 GWd/tHM MOX spent fuel.....	223
Figure II.32	Reference repository in salt formations in the Gorleben salt dome .....	224
Figure II.33	Evolution of the individual dose rate for the most important nuclides.....	225
Figure II.34	Cavern-convection scenario, evolution of individual dose rate for the most important nuclides .....	226
Figure II.35	A schematic view of a repository in the Boom Clay .....	227
Figure II.36	Normal evolution scenario; calculated total individual dose rate for the water pathway .....	228

*List of tables*

Table II.1	Extractability of actinide nitrates in 3 M nitric acid by TBP.....	113
Table II.2	Status of R&D on aqueous separation techniques .....	130
Table II.3	Mean cross-sections of actinides.....	148
Table II.4	Neutron consumption normalised to 1 fission.....	149
Table II.5	Mass balances for homogeneous recycling in thermal reactors .....	151
Table II.6	Mass balances for heterogeneous recycling in thermal reactors.....	153
Table II.7	Mass balances for homogeneous recycling in fast reactors .....	157
Table II.8	Mass balances for heterogeneous recycling in fast reactors .....	159
Table II.9	Irradiation of americium targets in FR .....	160
Table II.10	Core performance at the equilibrium cycle of metal-fuelled fast reactor .....	162
Table II.11	Reactor design parameters of actinide burner reactors.....	164
Table II.12	Characteristics of the Na and Pb-Bi cooled 820 MW-ADS cores with (MA, Pu) nitride fuels .....	167
Table II.13	Pu and minor actinide balance of different types of reactors .....	175
Table II.14	Production of long-lived fission products (PWR UO <sub>2</sub> 50 GWd/t) .....	175
Table II.15	Ranking of reactors with respect to <sup>99</sup> Tc transmutation capability .....	178
Table II.16	Effective dose coefficients of actinides FD <sub>RN</sub> .....	192
Table II.17	Effective dose coefficients of fission products FD <sub>RN</sub> .....	193
Table II.18	Recycling mode with varying reactor park composition.....	200
Table II.19	Radiotoxic inventory reduction factor due to MA recycling as a function of disposal times.....	200
Table II.20	Reactor inventories in different systems (kg/GWe).....	201
Table II.21	Radiotoxic inventory reduction factor as a function of recycling mode and disposal time without Cm recycling.....	201
Table II.22	Masses in wastes (kg/TWhe).....	203
Table II.23	Radionuclides discharged from reprocessing plants.....	208
Table II.24	Local and regional collective doses to the public .....	210
Table II.25	Mass of transuranic elements in reactor park (tHM/100 GWe).....	212
Table II.26	Annual discharge of TRU wastes (tHM/100 GWe-0.8 year) .....	213
Table II.27	Alpha activity of TRU nuclides in spent fuel types in TBq/tHM.....	214